

Preparedness Phase: No community transmission, no reported CoVID19 positive individuals in the building

Intensify Cleaning and Disinfection Efforts

- Routinely clean and disinfect surfaces and objects that are frequently touched. This may include cleaning objects/surfaces not ordinarily cleaned daily (e.g., doorknobs, light switches, classroom sink handles, countertops). Clean with the cleaners typically used. Use EPA-approved cleaning products according to the directions on the label.
- Provide EPA-registered disposable wipes to teachers and staff that want to be helpful so that commonly used surfaces (e.g., keyboards, desks, remote controls) can be wiped down before and after use.
- Ensure adequate supplies to support cleaning and disinfection practices. Many cleaning products are on backorder with District suppliers but an adequate supply is currently on hand.

Cleaning and Disinfecting Materials

The District will use EPA-registered disinfectants and cleaners using manufacturers' recommendation. Approved products being used include but are not limited to the following:

- Clorox multi surface disinfectant
- Clorox clean up disinfectant
- Lysol Multi surface disinfectant spray
- Clorox Pro total 360
- Oxivir wipes and solution
- Ecolab Neutral disinfectant
- Diluted household bleach (5 tablespoons (1/3rd cup) bleach per gallon of water or 4 teaspoons bleach per quart of water).

Currently, there are 2 Clorox 360(CLX1100) Electrostatic Sprayers and Disinfectant Cleaners with 8 more on back-order.

Actionable Phase: A CoVID19 Positive Individual is Identified in a School

A short-term building closure will be implemented regardless of community spread if an infected person(s) has been in a school building. If this happens, CDC recommends and the District will commence with the following procedures regardless of the level of community spread:

- School(s) will be closed to students and most staff for 2-5 days; properly protected essential staff will have access, as necessary, to the facility.

Clean and disinfect thoroughly:

- Close off areas used by the individuals with COVID-19 and wait as long as practical before beginning cleaning and disinfection to minimize potential for exposure to respiratory droplets. Open outside doors and windows to increase air circulation in the area. If possible, wait up to 24 hours before beginning cleaning and disinfection.
- Cleaning staff will be clean and disinfect all areas (e.g., offices, bathrooms, and common areas) used by the ill persons, focusing especially on frequently touched surfaces.
- If surfaces are dirty, they will be cleaned using a detergent or soap and water prior to disinfection.

Potential Cleaning by Outside Parties

On February 9, 2020, the District approved an Emergency Declaration for the District to retain the services of firms who specialize in the sanitizing of facilities, in the event the District should require assistance in handling the added sanitizing workload and/or in preparation of a District decision not to self-perform the sanitizing of its facilities.